



IDAHO DEPARTMENT OF
HEALTH & WELFARE

JAMES E. RISCH – Governor
RICHARD M. ARMSTRONG – Director

DEBBY RANSOM, R.N., R.H.I.T. – Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, Idaho 83720-0036
PHONE: (208) 334-6626
FAX: (208) 364-1888
E-mail: fsb@idhw.state.id.us

October 25, 2006

Theresa Pendleton, Administrator
Desano Place Suites
545 Nevada St
Gooding, ID 83330

License #: RC-819

Dear Ms. Pendleton:

On September 21, 2006, a state licensure survey was conducted at Desano Place Suites. As a result of that survey, deficient practices were found. The deficiencies were cited at the following level(s):

- Non-core issues, which are described on the Punch List, and for which you have submitted evidence of resolution.

This office is accepting your submitted evidence of resolution.

Should you have questions, please contact John Wingate, RN, Health Facility Surveyor, Residential Community Care Program, at (208) 334-6626.

Sincerely,

JOHN WINGATE, RN
Team Leader
Health Facility Surveyor
Residential Community Care Program

JW/slc

c: Jamie Simpson, MBA, QMRP Supervisor, Residential Community Care Program



IDAHO DEPARTMENT OF
HEALTH & WELFARE

JAMES E. RISCH – Governor
RICHARD M. ARMSTRONG – Director

DEBBY RANSOM, R.N., R.H.I.T. – Chief
BUREAU OF FACILITY STANDARDS
3232 Elder Street
P.O. Box 83720
Boise, Idaho 83720-0036
PHONE: (208) 334-6626
FAX: (208) 364-1888
E-mail: fsb@idhw.state.id.us

September 29, 2006

Theresa Pendleton, Administrator
Desano Place Suites
545 Nevada St
Gooding, ID 83330

Dear Ms. Pendleton:

On September 21, 2006, a State Licensure survey was conducted at Desano Place Suites. The facility was found to be providing a safe environment and safe, effective care to residents.

The enclosed form, stating no core issue deficiencies were cited during the survey, is for your records only and need not be returned.

Please bear in mind that non-core issue deficiencies were identified on the punch list, a copy of which was reviewed and left with you during the exit conference. The completed punch list form and accompanying proof of resolution (e.g., receipts, pictures, policy updates, etc.) are to be submitted to this office by October 21, 2006.

Should you have any questions about our visit, please contact me at (208) 334-6626.

Sincerely,

A handwritten signature in black ink, appearing to read "Jamie Simpson". The signature is fluid and cursive.

JAMIE SIMPSON, MBA, QMRP
Supervisor
Residential Care Assisted Living Program

JS/slc

Enclosure

Bureau of Facility Standards

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER: 13R819	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED 09/21/2006
NAME OF PROVIDER OR SUPPLIER DESANO PLACE SUITES		STREET ADDRESS, CITY, STATE, ZIP CODE 545 NEVADA ST GOODING, ID 83330		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
R 000	<p>Initial Comments</p> <p>The residential care/assisted living facility was found to be in substantial compliance with the Rules for Residential Care or Assisted Living Facilities in Idaho. No core issue deficiencies were cited during the standard health survey conducted on 9/21/06. The surveyors conducting the standard health survey were:</p> <p>John W. Wingate, RN Team Coordinator Health Facility Surveyor</p> <p>Patrick Hendrickson, RN Health Facility Surveyor</p> <p>Rebecca Winter, RN Health Facility Surveyor</p>	R 000		

Bureau of Facility Standards

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

STATE FORM

6899

13KW11

If continuation sheet 1 of 1



BUREAU OF FACILITY STANDARDS
P.O. Box 83720
Boise, ID 83720-0036
(208) 334-6626 fax: (208) 364-1888

ASSISTED LIVING Non-Core Issues Punch List

Facility Name	Physical Address	Phone Number
De Savo Place Suites of Grouse	545 Nevada Street	886-7665
Administrator	City	ZIP Code
Theresa Rendshaw	Gooding, Idaho	83330
Survey Team Leader	Survey Type	Survey Date
John Wincata RN	Standard	9-21-06

[illegible]

Response Required Date

Signature of Facility Representative

10-21-06

Signature of Facility Representative
X Theresa Randall Victor, PC